Department of Public Safety & Corrections State of Louisiana

JOHN BEL EDWARDS
GOVERNOR



JAMES M. LE BLANC SECRETARY



August 19, 2022

MEMORANDUM

TO:

The Honorable Mike Tubbs

Sherift of Morehouse Parish

FROM:

lames M. Le Blanc

Secretary

RE:

"Basic Jail Guidelines" Monitoring Report

Please see the attached monitoring report regarding the Basic Jail Guidelines (BJG) annual inspection that was conducted at Morehouse Parish Jail/Annex on July 7, 2022. The facility continues to provide a secure, safe, and stable environment for DOC offenders in their custody. At this time DPS&C will continue with annual monitoring visits.

Thank you for your support of the BJG process.

JML/mwk

Attachment

c: Mike Ranatza, Executive Director, Louisiana Sheriffs' Association Quinten Douglas, Warden, Morehouse Parish Jail/Annex Seth Smith, Chief of Operations Jerry Goodwin, Warden, DWCC James Arnold, BJG Team Leader



BJG MONITORING REPORT

x_ Annual, Semi-Annu	ual, Quarter	ly, Monthly, c	or Recert with	
				Rev
Facility Name:	Morehouse Pa	rish Jail/Annex		
		Arnold (BJG Tea	ım Leader)	
	& Email Address: Warden Quinten Douglas			
Facility Staff:	Chief Issac Bro		,,	
BJG Inspection Date:	July 7, 2022			
Previous BJG Inspection Date: June 16, 2021				
		ail / 70 in Annex =	= 264	
Count on Day of Visit:	147 in Parish J	ail / 47 in Annex =	= 194	
O	D IO M	4		
Concerns or Issues from the previ	ious BJG ivioni	toring inspectio	<u>n</u> :	
	# MALE	# FEMALE	TOTAL	
Number of DOC Offenders	48	3	51	
Number of Local Offenders	128	15	143	
Number of Out of State Offenders	0	0	0	
Number of Federal Offenders	0	0	0	
Number of ICE Detainees	0	0	0	
TOTAL	176	18	194	
Number of DOC Offenders that are	» :			
Single Bunked	0			
	E4			
Double Bunked	51			
Triple Bunked	0			
Total	51			
Number of DOC Offenders that are	in Restricted	Housing:		
Single Bunked	0			
Double Bunked	0			
Triple Bunked	0			
Total	0			

Rev. 03/22/2022 mw

ASSAULTS: (Please list monthly since the previous BJG monitoring visit.)

Month/Year	Off/Off	Off/Off w/sig inj	Offender/Staff	Off/Staff w/sig inj
7/21	2	0	1	0
8/21	2	0	0	0
9/21	3	0	0	. 0
10/21	5	0	0	0
11/21	3	0	0	0
12/21	2	0	0	0
1/22	2	0	0	0
2/22	1	0	0	0
3/22	2	0	0	0
4/22	4	0	0	0
5/22	4	0	1	0
6/22	4	1	0	0

SEIZURE FINDINGS: (Please list monthly since the previous BJG monitoring visit.)

Month/Year	Illicit Substance	Alcohol	Weapon	Cell Phone	Other
7/21	0	0	1	1	1
8/21	0	0	4	0	0
9/21	0	0	1	2	0
10/21	0	0	6	3	0
11/21	0	0	3	4	0
12/21	0	0	2	2	0
1/22	7	0	0	7	0
2/22	0	0	0	4	0
3/22	0	0	0	0	3
4/22	0	0	1	2	0
5/22	0	0	1	2	0
6/22	0	0	0	0	2

GENERAL APPERANCE, CLEANLINESS, AND COMMENTS OF THE FACILITY:

Living Area: The living areas were found to be clean and orderly throughout the facility.

- Dorms Dorms were found to be clean and free of unnecessary clutter with personal property stored in offenders assign lockers. Bulletin boards displayed information regarding weekly menus, facility policies and DPS&C rulebook as well as PREA.
- Cell Block During inspection the cells were found to be clean and all property was stored neatly.

Culinary/Dining: Each meal is prepared at the Annex and is transported to the Morehouse Parish Jail. The latest Retail Food inspection was 4-27-22 with one non-critical item listed. A work order was completed on 5-3-22 (see attached work order). All offenders assigned to culinary/dining receives a pre-assessment screening by medical before being assigned. Offenders voiced no complaints in reference to the quality/quantity of food.

Bathrooms: All bathrooms were found to be clean and in good working order.

Yard Areas: Recreation area was found to be clean and clutter free. Offenders are allowed daily exercise which was reflected in the unit logbook.

Maintenance: There is no maintenance personal on site. Tools are maintained at Morehouse Parish Sheriff's Office and work orders are coordinated through their department.

REVIEW AND COMMENT ON THE FOLLOWING BASIC JAIL GUIDELINES: (Compliant or Non-Compliant)

- I-A-001 Safety/Sanitation/Inspections: Compliant Logbooks documentation reflects that periodic inspections are conducted. Last FM inspection was on 4/26/22 for jail/annex with no deficiencies. Last FM inspection for the Morehouse Parish Jail was on 6/13/22 which reflected the sprinkler system being yellow tagged. (see attached work order request to American Fire Pro) Last DHH inspection for Morehouse Jail was on 4/27/22 with one non-critical (see attached work order that was completed on 4/28/22). Last DHH for retail food was on 4/27/22 with one non-critical item which a work order was completed on 4/28/22 (see attached work order).
- **I-C-001 Emergency Plan:** Compliant The facility has an approved emergency plan in place. Documentation reflects that all staff has been trained on emergency procedures.

II-A-007 Counts: Compliant

- How many formal counts are conducted each shift? 7- on day shift and 7 on the night shift.
- · How many counts are conducted each day? 14
- Stick outs counts are counts that are conducted in areas other than housing units, such as food services and other areas of normally authorized locations. When conducting and submitting the counts, employees are to actually see the offender before turning in theses counts.
 - How does the facility accomplish this? Staff conducts visual counts according to policy.
 - Does this process ensure accountability and safe/secure operation of the facility? YES
- II-A-008 Offender Population Management System: Compliant Policy and procedure is in place for offender case management. Offender files are transferred with offenders to local or DPS&C facility. Documentation is forwarded to Pre- Class Coordinator in a timely manner.
- **II-A-010** Admissions: Compliant All required admission forms are completed and on file.
- II-A-012 Classification System: Compliant

Does this facility have any trustees that work outside the secure perimeter? (Yes or No) YES

If yes,

- What is their classification process to determine who is eligible for trustee status?
 The Annex houses offenders that work outside the secure perimeter. Offenders are
 screened by classification, security and the Warden to ensure an objective
 classification process is used as required by the guidelines.
- Does their classification process meet DPS&C, Corrections Services' criteria? YES.
 The facility classification process uses the same as DPS&C.

II-A-018 Offender Drug Testing (Please list monthly since the previous BJG monitoring visit.)

Compliant

Month/Year	# DOC Tested	Total DOC Pop	% Tested	# Positive
7/21	40	195	8%	0
8/21	28	195	6%	0
9/21	25	179	5%	0
10/21	25	172	5%	0
11/21	28	170	5%	0
12/21	28	169	5%	1
1/22	29	170	5%	4
2/22	35	164	5%	0
3/22	32	166	5%	0
4/22	28	169	5%	0
5/22	42	156	7%	2
6/22	34	178	6%	0

- **II-A-019 Offender Transfers:** Compliant Policy and procedures are in place and Documentation reflects practice is being followed.
- II-A-020 Cell Checks: Compliant Policy and procedures are in place and logs are on file to reflect cell checks.
- **II-B-002-1 Use of Restraints for Pregnant Offenders:** Compliant Policy and procedures are in Place and logs reflects the use of restraints.
- **II-C-001 Procedures for Searches:** Compliant Policy and procedures are in place and logs are Maintained for all searches and detection of contraband.
- II-D-001 Key, Tool, and Utensil Control: Compliant A review of procedures of their key accountability revealed a correct accountability system is in place. Culinary tools were inventoried with a checkout system in place with no discrepancies noted.
- III-A-001 Rules and Discipline: Compliant
 - Does the facility's offender orientation include the application process for applying for restoration of good time? Yes
 - What is their restoration of good time application process for the offender population?
 Offenders submits the form to Chief Brown for review. Chief Brown then forwards it to DWCC.
 - Does their restoration of good time application process meet DPS&C, Corrections Services' criteria? YES
- **IV-C-001** Access to Care/Clinical Services (Does the facility charge a co-payment? If so, approved by DPS&C?): Compliant The facility charges a co-payment which was approved by DPS&C. Offenders are advised of how to obtain medical services.
- IV-C-006-1 Pregnancy Management: Compliant A written policy and procedures are in place.
- **IV-C-008** Annual TB Testing: Compliant Annual TB testing for offenders is conducted at no cost to the offender. TB testing is reviewed by medical staff upon initial screening for compliance.
- IV-C-012 Access to Sick Call: Compliant Offenders have access to sick call three time per week. A sick call slip is filled out by the offenders and forwarded to medical staff. Sick call is conducted at 8:00 am.

- IV-C-013 Infirmary Care: Compliant Provision are made for the medical staff to be on 24hr call as an infirmary is not provided on site. Facility utilizes Morehouse General and Ocshner-Health Monroe. Offenders are transferred to DOC if extensive medical care is warranted.
- IV-C-013-1 Medical Releases (Medical Parole, Medical Treatment Furlough, and Compassionate Release): Compliant - A written policy and procedure is in place. No medical release at the jail or Annex.
- IV-C-014 Suicide Prevention and Intervention: Compliant A written suicide prevention/intervention policy is on file which was approved by Dr. James Smith. Training is conducted annually. Facility is utilizing appropriate management orders and suicide watch log sheet.
- **IV-C-016 Notification:** Compliant A written policy and procedures is in place.
- IV-D-004 Confidentiality of Health Information: Compliant Medical files are maintained separately from their confinement files. A completed refusal to accept medical care and consent to release information form are on file.
- IV-E-001 Alleged and Substantiated Sexual Assaults: Compliant
 - Is this facility required to be PREA compliant due to contract language? (Yes or No) NO
 - Is this facility PREA compliant? (Yes or No) YES
 - ➢ If yes, date compliance received: N/A If this facility is required to be PREA compliant due to contract language, and has not done so, what is their plan of action for compliance? N/A

V-A-003 Programs and Services

- List all Certified Treatment Programs (Attach Form IS-B-8-b) NONE
- List all other Offender Programs Religious Programs, AA/NA
- V-A-003-1 Educational Programming: A written policy and procedures is in place.

GED Program

Number of GED Slots	0
Number of Participants	0
YTD Number of Completions	0

- **V-B-001** Releasing Offenders: Compliant The personal property of offenders is returned with a form of ID. Available community resources and 5 day supply of current medication.
- V-B-010 Proposed Expansions: Compliant No plans for expansions at this time.
- V-C-001 Substance Abuse Programs: Compliant AA/NA class is conducted once per week.
- **V-C-002** Reentry Programs (Are offenders releasing with two valid forms of identification?): Compliant Offenders are releasing with 2 forms of identification upon release.

- **V-C-004** Parole Board Procedures: Compliant A written policy and procedures are in place. Documentation on file showing facility Warden or designee presence at parole board.
- VI-B-002 Grievance Process: Compliant
 - Does grievance process include at least two levels of review? Yes
 - Who is the designee at each level of review? Warden and Chief Brown
 - What is the specified time period for response at each level? 1st Level -40 days and 2nd Level-20 days.
- **VII-A-002 Weapons Training:** Compliant All corrections staff members revive initial and annual weapons training and chemical agent training. Training conducted by Sergeant Jerry Deville.
- **VII-B-008 Monthly Reporting:** Compliant Monthly reports are submitted in a timely manner with no significant reporting issues noted.

OTHER:

STAFF COMMENTS/MORALE/GENERAL OBSERVATIONS: Staff morale was deemed to be good. I spoke with staff throughout the facility and staff seemed to work well together. Staff was knowledgeable of their duties and aware of emergency procedures.

OFFENDER COMMENTS/MORALE/QUALITY OF LIFE: Offenders morale and quality of life is deemed to be good. I spoke with several offenders and no negative comments regarding the facility or staff were noted. Offender were aware of how to submit a grievance and make sick call.

RECOMMENDATION: Based on the walk-through of the facility and review of the BJG files, it is recommended that the Morehouse Parish Jail and Annex remain on Annual Monitoring.



STATE OF LOUISIANA DEPARTMENT OF HEALTH OFFICE OF PUBLIC HEALTH

Retail Food Notice of Violations

Routine/Renewal

Permit Number	Permit Name			
34-0001132-1	MOREHOUSE PARISH JAIL ANNEX RESTAURANT			
Name of Establishment MOREHOUSE PARISH JAIL ANNE	Owner Name NEX MOREHOUSE PARISH JAIL			
Address		Date	Time	
4729 EUGENE WARE BLVD BASTROP, LA 71220		04/27/2022	09:50 AM	

LAC TITLE 51 PART XXIII

NON-CRITICAL ITEMS: These items should be corrected by the next regular inspection or according to the compliance schedule (see below) established by this office.						
Category	Code Reference	Description of Violations				
STRUCTURAL/DESIGN/MAINTENANCE/PLUMBING 3101 102 - 3101 - Plumbing is not maintained. 3-COMPARTMENT SINK FAUCET [Repeat]						

Comments:

REPORT EMAILED TO WARDEN.

NOTICE RS 40:31.38 (ACT 66)

RS 40:31.38 (ACT 66) authorizes the Louisiana Department of Health to charge a fee of \$150 to any permitted facility that fails to correct the necessary sanitary code violations to be in compliance at the time of its follow up inspection (1st re-inspection). Reinspections are required when there are five or more uncorrected non-critical violations and/or one or more uncorrected critical violations remaining at the conclusion of an inspection. The fee is only charged if the necessary violations are not corrected before the 2nd re-inspection and other subsequent re-inspections. Facilities can avoid this fee if the violations noted on the routine inspection report are corrected by, or during, the follow up inspection. If a fee is assessed, the \$150 fee is payable within 30 days' notice, and failure to pay shall result in revocation of the permit.

Sanitarian Name/Print Jonathan Eagles	Phone # 318-283-0806	Sanitarian Signature Artylic	R.S. # 2083	
The above mentioned violations v	vere called to my attention and were e	xplained to me in detail. I hereby agree to		
Correct Critical Violations by		Correct Non-Critical Violations	by	
		Signature of Recipient		
Name/Title WARDEN DOUGLAS			h vertillendere van gegendelingen	

MAINTENANCE WORK ORDER

DATE:4-28-22	TIME:10:30
LOCATION OF WORK TO BE DONE:ANNE	X
DESCRIPTION OF PROBLEM OR WORK REQU	ESTED:3-COMPARTMENT SINK
Kodh Duml GGT'S SIGNATURE	WARDEN'S SIGNATURE
FOR MAINTE	NANCE USE ONLY
WORK PREFORMED BY: Sgt. Keith	Hammonds slaz @ 13:50pm
DATE & TIME WORK COMPLETED: 5	5/22 @ 13:50pm
MATERIALS PURCHASED FOR THE JOB:	<u>one</u>
	· .
comments: -plunged Sink	+ tightened pipe (drain)
	•



STATE OF LOUISIANA DEPARTMENT OF HEALTH OFFICE OF PUBLIC HEALTH

Detention or Incarceration Notice of Violations

Routine/Renewal

Permit Number 34-04-224	Permit Name Morchouse Parish Jail Annex-224		
Name of Establishment Morehouse Parish Jail Annex-224	Owner Name		
Address 4729 Eugene Ware BLVD Bastrop, La	A 71220	Date 04/27/2022	Time 10:25 AM

NON-CRITICAL ITEMS: T by this office.	hese items should	l be corrected by the r	ext regular inspection or according to the	compliance schedule (see below) established		
Category	Code Reference	Description of Violations				
Handwashing Lavatories	101	16 - The hand lavat	ory is in disrepair. 1X HANDSINK WILL	NOT SHUT OFF		
Number Licen 70	sed For		Number in Attendance	License Anniversary 05/31/2022		
Sanitarian Name/Print	Phone	#	Sanitarian Signature	R.S. #		
		 83-0806	() to 10	2083		
Jonathan Eagles	310-2	o# 0000	fit often			
			lained to me in detail. I hereby agree to			
The above mentioned violation			lained to me in detail. I hereby agree to Correct Non-Critical Violations			
			- · · · · · · · · · · · · · · · · · · ·			



STATE OF LOUISIANA DEPARTMENT OF HEALTH OFFICE OF PUBLIC HEALTH

Detention or Incarceration Notice of Violations

Routine/Renewal

Permit Number 34-03-224	Permit Name Morehouse Parish Jail-224		
Name of Establishment Morehouse Parish Jail-224		Owner Name	
Address 250 E Walnut ST Bastrop, LA 71220		Date 04/27/2022	Time 09:00 AM

<u></u>	 _										
LAC TITLE 51 PART XVIII											
NOVE CONTROLL PURPLES THE SAME AND ADDRESS											
NON-CRITICAL ITEMS: These items should be corrected by the next regular inspection or according to the compliance schedule (see below) established by this office.											
Category	Code Reference	Description of Violations									
Approved Bathing Facilities	101	24 - There is chipped tile in the shower area, DORM 3									
Comments: REPORT EMAILED TO	WARDEN D	OUGLAS									
Number Licensed For			Number in Attendance 248	License Anniversary 05/31/2022							
Sanitarian Name/Print Phone # Jonathan Eagles 318-283-080		••	Sanitarian Signature	R.S.#							
		283-0806	Frank B	2083							
The above mentioned violations were called to my attention and were explained to me in detail. I hereby agree to											
Correct Critical Violations by Correct Non-Critical Violations by											
			Signature of Recipient								
Name/Title WARDEN DOUGLAS											

MAINTENANCE WORK ORDER

DATE:04-28-2022	TIME:09:30						
LOCATION OF WORK TO BE DONE:DORM 3	SHOWER AREA						
DESCRIPTION OF PROBLEM OR WORK REQUEST	ED:CHIPPED TILE						
Kest Amel	Warden's SIGNATURE						
FOR MAINTENANCE USE ONLY							
WORK PREFORMED BY: Sqt. Keith 1 DATE & TIME WORK COMPLETED: 5-3-2	Hammonds						
DATE & TIME WORK COMPLETED: 5-3-20	022 @ 10:25AM						
MATERIALS PURCHASED FOR THE JOB: Tile + Growt							
	•						
COMMENTS:							



Office of Louisiana State Fire Marshal

Code Enforcement and Building Safety

Department of Public Safety and Corrections Public Safety Services



Veronique McDonald Morehouse Parish Jail 250 East Walnut Bastrop, LA 71220

Dear Ms. McDonald,

This office is in receipt of your July 2022request for a review of your Emergency Plan for the above referenced facility.

NFPA 101:23.7.1.3 states the following, "The administration of every detention or correction facility shall have, in effect and available to all supervisory personnel, written copies of a plan for the protection of all persons in the event of fire, for their evacuation to areas of refuge, and for evacuation from the building when necessary. All employees shall be instructed and drilled with respect to their duties under the plan. The plan shall be coordinated with and reviewed by the fire department legally committed to serve the facility."

After a review of the Morehouse Parish Jail Evacuation Plan, the plan appears to be acceptable in meeting the requirements of NFPA 101.

If you have any question or clarification, please call the Shreveport District Office 318-676-7145 Sincerely,

Lt. Jason Armstrong
Region 8 Commander
Louisiana State Fire Marshal's Office

Is Yours Working?
Smoke Alarms Save Lives!
OFFICE OF LOUISIANA STATE FIRE MARSHAL
8181 INDEPENDENCE BOULEVARD, BATON ROUGE, LA 70806
(225) 925-4911 1-800-256-5452 Fax (225 925-4593)



John Bel Edwards GOVERNOR

Office of State Fire Marshal

8181 Independence Blvd. Baton Rouge, LA 70806 (225) 925-4911 (800) 256-5452 Fax (225) 925-4241

Inspection Report

Report # CB-21-046343-1

No Deficient/Cautionary Codes cited.



H. "Butch" Browning FIRE MARSHAL

Location Information												
Inspection Type	o Compilance	Compilance Building Inspection					Inspection Date		/26/2022 1:30:59 PM			
Structure ID	791	791 No. of Bu		ldings 4			Facility Code		84			
Capacity	70	70		Yoar Bullt			Construction Type		Type (IB / (000)			
Bullding/Trade	Name			Address								
MOREHOUSE PARISH JAIL ANNEX					4729 EUGENE WARE ROAD, BASTROP, LA 71220							
Owner Information												
Owner Type Name			Co		Conf	act Phone	Contact Email					
Municipal Project MOREHOUSE PARI			OUSE PARIS	H POLICE (3		(318)	281-1625	QDOUGLAS@MPSO.NET				
Address												
COURTHOUSE, BASTROP, LA 71220												
Tenant Information												
Name		· · · · · · · · · · · · · · · · · · ·		Suite Number			Floor Numbe	יי	Square Footage			
		······································	Ω.	CUDS	ncy De	talle						
Occupancy Typ	·····	Details	~~·	омре	may be	CCIII O	····					
Institutional		INSTITUTIONAL BUILDING TYPE: GROUP I-3 (DETENTION/CORRECTION); DETENTION/CORRECTION FACILITY TYPE: CONDITION 5							RECTION);			
		·										
Comments												
NO APPARENT DEFICIENCIES AT TIME OF INSPECTION. ACCEPTABLE FOR OCCUPANCY.												
Inspector Information												
Name: Jeremy	Defee	Badge N	umber: 707			inspe	octor Signature;					
							<i>5</i> 6	5				
Person to whom requirements were explained												
Name: Thomas									· · · · · · · · · · · · · · · · · · ·			
				Signature: Firman Forth								

For questions regarding the contents of this report, please call:

R. S. 40: 1621

Whoever falls to comply with any order issued by the Fire Marshal or his authorized representative under any provision of Part III, Chapter 7, Title 40 of the Louisiana Revised Statutes of 1950, R.S. 40:1569 excepted, shall be fined not more than five hundred dollars or imprisoned, for more than six months or both. Each day's violation of an order constitutes a separate offense and may be punished as such at the discretion of court.